

Regional Conditions for Nationwide Permits in Tennessee

Work may not commence on any of the Nationwide Permits (NWP) listed below until the Corps gives specific approval. Additionally, any activities approved under the NWP below are subject to the specific conditions listed.

3. Maintenance.

- Applicants are required to notify the Corps of Engineers.
- If work is beyond 100' from structure or if located in outstanding resource streams*, the Corps will initiate coordination with TWRA, TDEC, USFWS, and EPA.

12. Utility Line Activities.

- Applicants are required to notify the Corps of Engineers.
- For work involving over 0.25 acres of fill in waters of the U.S. or if located in outstanding resource streams*, the Corps will initiate coordination with TWRA, TDEC, USFWS, and EPA.

14. Linear Transportation Crossings.

- Applicants are required to notify the Corps of Engineers.
- For work involving over 0.25 acres of fill in waters of the U.S. or if located in outstanding resource streams*, the Corps will initiate coordination with TWRA, TDEC, USFWS, and EPA.
- For wetland fills greater than 0.25 acres, compensatory mitigation is required at a minimum 2:1 ratio for restoration or 4:1 for constructed wetlands.

27. Stream and Wetland Activities.

- Applicants are required to notify the Corps of Engineers.
- The Corps will initiate coordination with TWRA, TDEC, USFWS, and EPA.

39. Residential, Commercial, and Institutional Developments.

- Applicants are required to notify the Corps of Engineers.
- For work involving over 0.25 acres of fill in waters of the U.S., if the fill in waters of the United States exceeds 200 linear feet of stream, or if located in outstanding resource streams*, the Corps will initiate coordination with TWRA, TDEC, USFWS, and EPA.
- For wetland fills greater than 0.25 acres, compensatory mitigation is required at a minimum 2:1 ratio for restoration or 4:1 for constructed wetlands.

40. Agricultural Activities.

- Applicants are required to notify the Corps of Engineers.
- For work involving over 0.25 acres of fill in waters of the U.S., the Corps will initiate coordination with TWRA, TDEC, USFWS, and EPA.
- For wetland fills greater than 0.25 acres, compensatory mitigation is required at a minimum 2:1 ratio for restoration or 4:1 for constructed wetlands.

42. Recreational Facilities.

- Applicants are required to notify the Corps of Engineers.
- For work involving over 0.25 acres of fill in waters of the U.S., if the fill in waters of the United States exceeds 200 linear feet of stream, or if located in outstanding resource streams*, the Corps will initiate coordination with TWRA, TDEC, USFWS, and EPA.
- For wetland fills greater than 0.25 acres, compensatory mitigation is required at a minimum 2:1 ratio for restoration or 4:1 for constructed wetlands.

43. Stormwater Management Facilities.

- Applicants are required to notify the Corps of Engineers.
- For work involving over 0.25 acres of fill in waters of the U.S., if the fill in waters of the United States exceeds 200 linear feet of stream, or if located in outstanding resource streams*, the Corps will initiate coordination with TWRA, TDEC, USFWS, and EPA.

* Preliminary discussions regarding the development of a list of outstanding resource waters in Tennessee have been held by TWRA, TDEC, USACE, USFWS, and EPA.